

INDEX MAPS.

T.13 N. R. 3 W. 2nd Mer.

	85	85	84-86	84-86	84-86	84-86						
88	6	112	5	107	4	103	3	98	2	93	1	83
	113		112		107		102		97		92	
88	7	111	8	106	9	102	10	97	11	92	12	83
	113		110		106		101		96		92	
88	18	110	17	106	16	101	15	96	14	91	13	83
	114		110		105		100		96		91	
87	19	109	20	105	21	100	22	95	23	90	24	82
	114		109		104		100		95		90	
87	30	109	29	104	28	99	27	94	26	90	25	82
	114		108		104		99		94		89	
87	31	108	32	103	33	98	34	93	35	89	36	82
	80		80		79-81		79-81		79-81		79-81	

T.14 N. R. 3 W. 2nd Mer.

	123		123		123		122		122		122	
125	6	150	5	144	4	139	3	134	2	130	1	121
	150		150		143		139		134		129	
125	7	149	8	143	9	138	10	134	11	129	12	121
	149		148		143		138		133		129	
125	18	148	17	142	16	137	15	133	14	128	13	121
	148		147		142		137		132		128	
124	19	147	20	141	21	137	22	132	23	127	24	120
	146		146		141		136		131		127	
124	30	146	29	140	28	136	27	131	26	126	25	120
	145		145		140		135		131		126	
124	31	144	32	140	33	135	34	130	35	126	36	120
	118		117-118		117-118		117-119		117-119		117-119	

The figures on the lines refer to the page.

Township N^o 14 North of Range N^o 3 West of the 2nd Mer. Indian. 117

Ch. Lk.

South Boundary.

N. 5° 55' E. 79

West Quat Random line On the South Boundary of sec. 36.
T. N^o 14 N. R. N^o 3 N.

40.00 Set a temporary post for the cor. of 1/4 sec.

47.50 Trout Brook. 12 rods wide, Corner S.

80.00 Set a temporary post for the cor. of sec. 35 & 36 from which
Sound soil and timber same as last mile.

West Quat Random on the South Boundary of sec. 35 T. N^o 14 N. R. N^o 3 N.

40.00 Set a temporary post for the cor. of 1/4 sec.

75.00 Trout Brook. 8 rods wide, Corner N.

80.00 Set a temporary post for the cor. of sec. 34 & 35.
Sound soil and timber same as last mile.

July 16th. 1819

West Quat Random line On the South Boundary of sec. 34
T. N^o 14 N. R. N^o 3 N.

40.00 Set a temporary post for the cor. of 1/4 sec.

55.00 Trout Brook. 8 rods wide, Corner N. N.

80.00 Set a temporary post for the cor. of sec. 33 & 34
Sound soil and timber same as last mile.

West On the South Boundary of sec. 33 Quat Random line.
T. N^o 14 N. R. N^o 3 N.

10.00 Trout Brook. 8 rods wide, Corner N.

40.00 Set a temporary post for the cor. of 1/4 sec.

80.00 Set " " " " " " Cor. 32 & 33.
Sound soil and timber same as last mile.

West Quat Random line On the South Boundary of sec. 32.
T. N^o 14 N. R. N^o 3 N.

39.50 Trout Brook 8 rods wide, Corner N. N.

T. N. 14. N. R. N. 37. 2nd Mer. Sud.

40.00 Set a temp. post for the cor. of $\frac{1}{4}$ sec.
 80.00 Set a " " " " " " sec. 31 & 32
 Cuts roll 8. & grade for farming; Enter same

West On the true line On the South Boundary of sec. 31
 T. N. 14. N. R. N. 37

40.00 Set a temp. post for the cor. of $\frac{1}{4}$ sec.
 43.00 To a Brook 30 rods wide, Corner N. W.
 56.50 Enter out the Range line 234 ths. South of the
 temp. turn. cor.

East On the true line On the S. Boundary of sec. 31.
 T. N. 14. N. R. N. 37.

v. 535² 210.

10.00 To a Brook 20 ths wide, Corner N.
 16.50 Set the temp. post on the true line for the cor. of $\frac{1}{4}$ sec.
 from which a Bush 12 in diam. bears N 74 W. 16 ths dist
 and a Sugar 12 " " " East 33 " "
 56.50 Set a post (temp.) on the true line for the cor. of sec. 31 & 32
 from which a Sugar 10 in diam. bears N 58 W. 20 ths dist
 and a Bush 30 " " " S 17 E. 10 " "

East On the true line On the S. Boundary of sec. 32.
 T. N. 14. N. R. N. 37.

40.00 Set the temp. post on the true line for the cor. of $\frac{1}{4}$ sec.
 from which a Bush 9 in diam. bears S 57 E. 26 ths dist
 and a Bush 7 " " " West 3 " "
 80.00 Set a post temp. on the true line for the cor. of $\frac{1}{4}$ sec.
 from which a Bush 9 in diam. bears N 25 E. 21 ths dist
 and a Sugar 18 " " " S 15 E. 3 " "

East On the true line On the South Boundary of sec. 33.

40.00 Set the temp. post on the true line for the cor. of $\frac{1}{4}$ sec.
 from which a Sugar 10 in diam. bears S 43 W. 8 ths dist

8000 made a Buck 30 in dist. bears. N 80 E. 23 links dist.
 Set a post for the cor. of sec. 33 & 34 on the true line.
 From which a S. 51 N. 12 links
 made a Buck. 8 " " " S 4 E. 12 the dist.

East Quarter line On the South Boundary of sec. 34 T. N^o 14
 N. R. N^o 37.

100.00 Set the temp^y post for the cor. off $\frac{1}{4}$ sec. on the true line
 from which a Buck 27 in dist. bears. S 67 N. 9 the dist.
 made a S 67 N 18 " " " S 81 E. 28 " "

80.00 Set a temp^y post on the true line for the cor. of sec. 34 & 35
 from which a S 67 N 9 in dist. bears. S 67 N. 8 the dist.
 made a Buck. 8 " " " S 37 N. 5 " "

June 22nd 1819.

East Quarter line On the South Boundary of sec. 35
 T. N^o 14. N. R. N^o 37.

100.00 Set the temp^y post on the true line for the cor. off $\frac{1}{4}$ sec.
 from which a N 67 E. 12 in dist. bears. S 6 E. 28 the dist.
 made a S 67 E. 30 " " " N 8 E. 1 " "

80.00 Set a post (temp^y) on the true line for the cor. of sec. 35 & 36
 from which a S 67 E. 18 in dist. bears. S 31 E. 14 the dist.
 made a S 67 E. 12 " " " N 53 E. 5 " "

East Quarter line On the S. Boundary of sec. 36
 T. N^o 14. N. R. N^o 37.

39.00 To a Brook 12 the miles Corner S.

40.00 Set the temp^y post on the true line for the cor. off $\frac{1}{4}$ sec.
 from which a Buck. 10 in dist. bears. N 72 N. 22 the dist.
 made a S 67 E. 10 " " " East 19 " "

80.00 Set a post for the cor. of Towns 13 & 14 N. R. 21 & 37. 69 the.
 N. of the temp^y cor from which a Buck. 18 in dist. bears. N 55
 N. 11 the dist. to a Buck. 12 in dist. bears. N 57 E. 16 the dist.

T. N. 14 N. R. N. 3 W. 2nd. Mer. Ind. 2

East Boundary.

a. 114.

- North On the East Boundary of sec. 36. T. N. 14. N. R. 3 W.
 35.00 To a Brook. 5 the side, Corner S. E.
 40.00 Set a post for the cor. off 74 cu. from which a
 Beech. 24 in diam. bears N 36 E. 25 the side; ran
 Ash. 4 " " " N 72 W. 13 " "
 80.00 Set a post for the cor. off sec. 35 & 36 from which a
 Ash. 20 in diam. bears East. 2 the side; ran
 Beech. 12 " " " N 62 W. 16 " "
 Land good for farming; Timber Beech Sugar.
 Ash. and Oak.

- North On the East Boundary of sec. 25 T. N. 14. N. R. 3 W.
 26.50 To a Brook 10 the side, Corner E.
 40.00 Set a post for the cor. off 74 cu. from which a
 Elm 18 in diam. bears N 49 W. 16 the side; ran
 Beech. 10 " " " N 56 E. 30 " "
 17.50 To a Brook. 10 the side, Corner E.
 74.00 " " Co. 14 " " " S. E.
 80.00 Set a post for the cor. off sec. 24 & 25 from which a
 Beech. 12 in diam. bears S 59 E. 21 the side; ran
 Co. 24 " " " N 20 W. 29 " "
 Land soil and timber same as last mile.

- North On the East Boundary of sec. 24. T. N. 14. N. R. 3 W.
 13.00 To a Brook. 15 the side, Corner —
 40.00 Set a post for the cor. off 74 cu. from which a
 Beech. 12 in diam. bears S 59 E. 4 the side; ran
 Sugar. 10 " " " N 37 W. 40 " "
 61.00 To a Spring branch. 5 the side, Corner E.
 80.00 Set a post for the cor. off sec. 13 & 24 from which a
 Beech. 18 in diam. bears E. 13 the side; ran
 Co. 12 " " " N 19 E. 21 the side;

Sand soil and timber same as last mile.

North On the East Bound of sec. 13 T. N. 14. N. R. N. 3 W.
 3.00 To a Oak. 25 lbs. timber, Corners S.E.
 40.00 Set apart for the cor. of 1/4 sec. from which
 Beach 12 in dist. bears S 37 N. 14 lbs. timber; 8 in
 L. 8 " " " N 46 E. 17 " "
 76.50 Oak Broom. 5 lbs. timber, Corners S.E.
 80.00 Set apart for the cor. of sec. 12 & 13 from which
 Beach 10 in dist. bears S 31 N. 2 lbs. timber; 8 in
 L. 8 " " " N 31 E. 18 " "
 Sand soil and timber same as last mile.

North On the East Bound of sec. 12 T. N. 14. N. R. N. 3 W.
 40.00 Set apart for the cor. of sec. 12 from which
 Sugar 10 in dist. bears S 39 N. 10 lbs. timber; 8 in
 Beach 6 " " " N 9 E. 14 " "
 80.00 Set apart for the cor. of sec. 11 & 12 from which
 Beach 10 in dist. bears N 52 E. 12 lbs. timber; 8 in
 L. 18 " " " S 12 N. 20 " "
 Sand soil and 2nd rate; Good for farming;
 Timber Oak, Sugar, Hickory and Ash.

North On the East Bound of sec. 1 T. N. 14. N. R. N. 3 W.
 40.00 Set apart for the cor. of 1/4 sec. from which
 Beach 9 in dist. bears S 68 N. 11 lbs. timber; 1 in
 L. 18 " " " N 23 E. 21 " "
 78.00 To the first corner of Towns 14 & 15 N. R. D. 3 W.
 and set apart from which
 Beach 18 in dist. bears S 68 N. 4 lbs. timber; 1 in
 L. 24 " " " N 60 E. 21 lbs. timber;
 Sand soil & timber same as last mile.

S. N. 14. N. R. N. 3 W. 2nd Mex. Ind. 2

North Boundary

N. 5.55 Q. 119

West On the South Boundary of sec. 36. S. N. 15 N. R. N. 3 W.
 2.00 Fork Brook. 8 miles, Corner S.
 40.00 Set apart for the cor. of 1/4 sec. from which
 Sugar. 18 in dist. bears N 82 E. 33 links dist; on
 Hill N. 18 " " " N 88 W. 13 " "
 80.00 Set apart for the cor. of sec. 35 & 36 from which
 Buck. 9 in dist. bears N 11 E. 21 links dist; on
 Co. 10 " " " S 37 W. 15 " "
 Land here under meadow, good for farming
 Timber Buck. Sugar. Oak. & Hickory

West On the South Boundary of sec. 35 S. N. 15 N. R. N. 3 W.
 40.00 Set apart for the cor. of 1/4 sec. from which
 Buck. 12 in dist. bears N 40 W. 21 links dist; on
 Oak. 24 " " " S 59 E. 14 " "
 80.00 Set apart for the cor. of sec. 34 & 35 from which
 Oak. 10 in dist. bears S 35 E. 12 links dist; on
 Elm 10 " " " S 65 E. 15 " "
 Land on the East for some pastures; West for
 rock and good for farming; Timber Buck.
 Sugar. Gum. & Oak & Buckeye

West - On the S. Boundary of sec. 34 S. N. 15 N. R. N. 4 W.
 18.50 Fork Brook. 8 links dist, Corner S.
 33.00 " " Co. 8 " " " N.
 40.00 Set apart for the cor. of 1/4 sec. from which
 Buck. 10 in dist. bears N 25 W. 25 links dist; on
 Co. 9 " " " S 61 E. 25 " "
 44.50 Trapping track 4 links dist, Corner S.
 80.00 Set apart for the cor. of sec. 33 & 34 from which
 Elm 27 in dist. bears N 83 E. 13 links dist; on
 Sugar. 24 " " " S 78 W. 7 " "

Sunderick and grade for farming; Timber Birch,
Sugar. Oak, & Elm. & some Walnut.

West
40.00 On the South Boundary of Sec. 33 T. N. 15 N. R. N. 3 N.
Set apart for the cor. of 1/4 Sec. from which
Kick 12 in dist. bears. S 68 N. 17 W. 170 yds. dist; 1/4 Sec.
Blue Ash. 9, " " N 39 E 46. "
80.00 Set apart for the cor. of Sec. 33 & 33. from which
Sugar. 19 in dist. bears. N 27 N. 38 W. 180 yds. dist; 1/4 Sec.
110. 8 " " " S 49 E 35 " "
Sunderick and grade for farming; Timber
Same as last mile.

West
100.00 On the S. Boundary of Sec. 32 T. N. 15 N. R. N. 3 N.
Set apart for the cor. of 1/4 Sec. from which
W. Ash. 30 in dist. bears. S 84 E. 15 W. 180 yds. dist; 1/4 Sec.
Sugar. 8 " " " N 82 N. 23 " "
80.00 Set apart for the cor. of Sec. 31 & 32 from which
Birch. 9 in dist. bears. N 85 E. 26 W. 180 yds. dist; 1/4 Sec.
W. Birch. 3, " " " N 73 N. 8 " "
Sunderick and timber similar to the last mile.

West
40.00 On the South Boundary of Sec. 31 T. N. 15 N. R. N. 3 N.
Iron Brook. 8 the miles. Under N.
40.00 Set apart for the cor. of 1/4 Sec. from which
Oak 18 in dist. bears. N 39 N. 21 W. 180 yds. dist; 1/4 Sec.
B. Walnut 30, " " " S 78 E. 21 " "
55.30 Intersect the Range line 21.3 the South of the township
Iron cor. and set apart for the cor. of T. 14. & 14; & 15.
15 N. R. N. 3 & 14 N. from which
Oak 10 in dist. bears. S 70 N. 7 W. 180 yds. dist; 1/4 Sec.
Kick 14 " " " N 57 E. 14 " "
Sunderick good for farming N. 1/2 rich bottom.

V. N. 14. N. R. N. 3 T. 2nd Mer. Ind

West. Boundary.

v. 6th 20 a. 98.

June 21. 1819.

North On the East Bound^y of sec. 36. T. N. 14. N. R. N. 4 T.

7.00 To a Brook. 70 the mile Corner S. W.

29.50 " " Do. 8 " " " S. E.

40.00 Set apart for the cor. of 74 ac. from which a
 Buck. 14 in dist. bears. N 75 E. 4 the dist; or
 Do. 18 " " " S 67 N. 17 " "

80.00 To a Brook. 60 the mile, Corner E.

80.00 Set apart for the cor. of sec. 25 & 36 from which a
 Elm 24 in dist. bears. S 13 N. 25 the dist; or
 Horn. 4 " " " N 45 N. 7 " "

Land good for farming;

North On the East Bound^y of sec. 25 T. N. 14. N. R. N. 4 T.

7.00 To a Brook. 10 the mile, Corner S. E.

40.00 Set apart for the cor. of 74 ac. from which a
 Sugar. 11 in dist. bears. N 40 N. 5 the dist; or
 Maple. 18 " " " S 53 E. 36 " "

47.00 To a Brook. 10 the mile, Corner S. E.

80.00 Set apart for the cor. of sec. 24 & 25 from which a
 Sugar. 5 in dist. bears. S 21 E. 19 the dist; or
 Buck. 8 " " " N 46 E. 19 " "

Land well. Sugar. Oak. Poplar.

North On the East Bound^y of sec. 24 T. N. 14. N. R. N. 4 T.

14.00 To a Brook 8 the mile, Corner E.

40.00 Set apart for the cor. of 74 ac. from which a
 W. Buck. 5 in dist. bears. N 67 E. 13 the dist; or
 Buckeye 6 " " " S 69 N. 14 " "

60.00 To a Brook. 10 the mile, Corner S. E.

80.00 Set apart for the cor. of sec. 13 & 24 from which a
 Buck. 18 in dist. bears. S 46 E. 16 the dist; or

T. N. 14 N. R. N. 37. 2nd. W. 2nd Mer. Sud.

Beck 9 in dist. bears N 53 E. 14 the dist; 11
Sund do well made timber same as last mile.

North On the East Boundary of Sec. 13. T. N. 14. N. R. N. 47.
4000 Set apart for the cor. off 1/4 Sec. from which a
Beck 24 in dist. bears S 15 E 37 the dist; 11
Sugar 5 " " " N 50 W. 24 " "
80.00 Set apart for the cor. of Sec. 12 & 13 from which a
Sugar 12 in dist. bears S 8 E. 11 the dist; 11
Ho. 8 " " " N 49 E. 22 " "
Sund do well made good for farming; 11p very rich;
Timber Spruce, Walnut & Buckeye.

North On the East Boundary of Sec. 12 T. N. 14. N. R. N. 47.
4000 Set apart for the cor. off 1/4 Sec. from which a
Beck 18 in dist. bears S 14 E. 7 the dist; 11
Sugar 9 " " " S 67 W. 6 " "
65.00 To a Barre 8th mile, Comes N. W.
25.00 To a Ho. 12 " " " "
80.00 Set apart for the cor. of Sec. 1 & 12 from which a
Beck 9 in dist. bears N 72 E. 9 the dist; 11
Sugar 9 " " " N 74 W. 25 " "
Sund do good for farming; Timber same as last mile.

North On the East Boundary of Sec. 1. T. N. 14. N. R. N. 47.
17.00 To a Brook 10 miles wide, Comes N. W.
21.00 " " Spring branch Comes N. W.
4000 Set apart for the cor. off 1/4 Sec. from which a
Sugar 14 in dist. bears N 36 E. 15 the dist; 11
Ho. 8 " " " S 76 W. 8 " "
80.00 Set a temporary post for the cor. of T. N. 14. 14 & 15. 15 N. R. 31 & 14
W. Sund do well made Timber same as last mile.
77.87 To the Township Cor.

Q. N. 14 N. R. N. 3 T. 2nd Mer. Ind.

Subdivisions.

North Between Sec. 35 & 36 T. N. 14 N. R. N. 3 T.
 23.96 Cont. Buck 10 in dist. stands in the line
 40.00 Set apart for the cor. of 14 sec. from which
 Buck 16 in dist. bears S 48° E 13 bucks dist; 12
 do 18 " " " N 26 3/4 W. 40 " "
 47.25 Cont. Buck 12 in dist. bears E.
 49.00 " " Buck 24 in dist. stands in the line.
 54.75 " " Buck 10 in dist. bears E.
 61.43 " " Sugar. 6 in dist. bears in the line.
 80.00 Set apart for the cor. of sec. 25, 26, 35 & 36 from which
 a Buck 13 in dist. bears S 86° E. 12 bucks dist; 12
 do 24 " " " N 80 W. 28 " "
 Lands roll'd and 2nd rate; Timber Buck, the
 gum, Hick., Poplar, W Oak, & W ash. W. Spr. &
 Ironwood.

East A quarter section line between Sec. 25 & 36 T. N. 14 N. R. N. 3 T.
 40.00 Set a temporary post for the cor. of 14 sec.
 80.89 Set out the E. and S. corner of T. 14 N. R. 3 T. 16 bu
 South of the post cor. of sec. 25 & 36.
 Lands roll'd. and 2nd rate; Timber Buck, Hick.
 Sugar, Ash, W Oak & W Oak. W. Spr.

West On the true line between Sec. 25 & 36 T. N. 14 N. R. N. 3 T.
 10.44 Set the temporary post at the corr. dist. on the true line for
 the cor. of 14 sec. from which
 Buck 7 in dist. bears N 60 W. 14 bucks dist; 12
 do 4 " " " S 70 E 11 " "
 80.89 To the post cor. of sec. 25, 26, 35 & 36.

North Between Sec. 25 & 36 T. N. 14 N. R. N. 3 T.
 14.30 Cont. Buck 18 in dist. stands in the line.

40.00	Set a post for the cor. of 1/4 sec. from which a Sugar. 16 in diam. bears. S 34 N. 15 the dist; 100 Kick 10 " " " N 39 1/2 N. 25 " "
68.45	Iron Rock. 8 in diam. stands in the line
80.00	Set a post for the cor. of sec. 23, 24, 25, & 26 from which a Rock. 16 in diam. bears. N 19 E. 25 the dist; 100 " " " " " S 54 N. 9 " " Lumber rolls and 2nd rate; (Lumber Rock Sugar, Kick made Oak, W. & Spruce.
East	On a random line between Sec. 24 & 25 T. N. 14. R. N. 3
40.00	Set a post (temp. 1/4) for the cor. of 1/4 sec.
63.75	Iron Rock. 25 the side, Corner S. E.
80.89	Intersect the East Boundary 18 links S. of the post cor. of sec. 24 & 25 Lumber rolls and 2nd rate; Lumber Rock Sugar, Kick 10 & 11 Oaks. W. & Spruce & W. Rock.
West	On a random line between Sec. 24 & 25 T. N. 14. R. N. 3
40.46 1/2	Set the temp. 1/4 post at the cor. dist on the line for the cor. of 1/4 sec. from which a " Oak. 18 in diam. bears. N 26 1/2 N. 44 the dist; 100 " " " " " S 26 E. 20 " "
80.89	Set the post cor. of sec. 23, 24, 25 & 26.
North	Between Sec. 23 & 24 T. N. 14. R. N. 3
19.68	Iron Rock 16 in diam. stands in the line.
32.75	Iron Rock. 10 the side, Corner E.
33.50	" " " 10 " " " S. N.
34.00	" " " 10 " " " S. E.
40.00	Set a post for the cor. of sec. 23, 24, 25 & 26 from which a Sugar. 15 in diam. bears. S 30 E. 24 the dist; 100 " " " " " N 3 E. 29 " "

S. N. 14. N. R. N. 3 W. 2nd Mer. Sud.

65.82 To a Buck. 13 in dist. stands in the line.

80.00 Set a post for the cor. of sec. 13, 14, 23 & 24 from which
Sugar. 12 in dist. bears S 58 E. 27 the dist; & n,
Co. 12 " " " N 58 W. 35 " "
Sands roll 8 rods 2nd mer; Timber Buck, Sugar
Hick & Oak; & Ash. W. Spruce & W. Buck.

East On a Random line between Sec. 13 & 24 S. N. 14. N. R. N. 3 W.

40.00 Set a temporary post for the cor. of 1/4 sec.

80.90 Take out the N & S line Timber South of the post cor.
of sec. 13 & 24 Sands roll 8 rods 2nd mer; Timber Buck,
Sugar Hick & W. Oak, & Poplar, W. Spruce & Ironwood.

N. 121 On the true line between Sec. 13 & 24 S. N. 14. N. R. N. 3 W.

40.45 Set the temporary post at the nor. dist. on the true line.
for the cor. to the 1/4 sec. from which

Sugar. 16 in dist. bears N 65 E. 8 the dist; & n,
Co. 9 " " " S 77 W. 19 " "

80.90 To the post cor. of sec. 13, 14, 23 & 24

North Between Sec. 13 & 14 S. N. 14. N. R. N. 3 W.

22.25 To a Buck. 3 in dist. stands in the line.

31.50 " " Co. 30 " " " " " "

40.00 Set a post for the cor. of 1/4 sec. from which
Sugar. 18 in dist. bears N 36 1/2 E. 10 1/2 the dist; & n,
Buck. 13 " " " S 60 W. 41 " "

57.05 To a Sugar. 17 in dist. stands in the line.

80.00 Set a post for the cor. of sec. 11, 12, 13 & 14 from which
Hick & 14 in dist. bears S 75 E. 5 the dist; & n,
Buck. 6 " " " S 23 W. 40 " "

Sands roll 8 rods 2nd mer; Timber Buck, Sugar,
Hick, 13 & W. Walnut. W. Spruce.

T. N. 14. N. R. N. 37. 2nd Mer. Sud.

East	On a Random line between Sec. 12. 113 T. N. 14. N. R. 37.
14.05	To a Brook 15 links wide, Corner N. N.
19.25	" " Do. 15 " " " " " " S. N.
40.00	Set apart for the cor. of 1/4 Sec. (the 1st) " "
79.00	To a small brook. Corner S. E.
80.89	Set out the N. S. line 63 links South of the post. cor. of sec. 12 & 13. Lands sold by 2 nd & 3 rd rate; Timber Beech, Sugar, Poplar, W. Oak & Hickory (W. Spruce).
West	On the line line between Sec. 12 & 13 T. N. 14. N. R. 37.
40.44 1/2	Set the temporary post at the cor. where the line for the cor. of 1/4 Sec. from which a Beech 8 in diam. bears. S. 57 N. 21 links dist; 72 Do. 9 " " " N. 43 E. 9 " "
80.89	Set the post cor. of sec. 11. 12. 13 & 14
North	Between Sec. 11 & 12 T. N. 14. N. R. N. 37.
1.50	To a Brook 10 links wide, Corner N.
15.28	To an N. Oak 28 in diam. stands on the line.
21.53	" " Do. 36 " " " " " " " "
40.00	Set apart for the cor. of 1/4 Sec. from which a Beech 16 in diam. bears. S. 86 N. 17 links dist; 80 Do. 8 " " " " N. 86 E. 5 " "
61.90.	To a Beech 16 in diam. stands on the line.
80.00	Set apart for the cor. of sec. 1. 2. 11. & 12 from which a Sugar 14 in diam. bears. S. 2 E. 10 links dist; 72 Beech 16 " " " " N. 62 W. 31 " " Lands sold by 2 nd & 3 rd rate; Timber Beech, Sugar Spruce, W. Oak, & N. Elm. W. Spruce & Ironwood
East	On a Random line between Sec. 17 & 18 T. N. 14. N. R. 37.
40.00	Set a temporary post for the cor. of 1/4 Sec.

I. N. 14. N. R. N. 37. 2nd 4th Men. Sud.

80.88 Intersect the East Boundary at the first cor. of sec. 1 & 2. Lumbered under 2nd rate; Linden Tree Ash, Hickory & Poplar, W 8 Spruce & Ironwood.

West On the true line between Sec. 1 & 2. I. N. 14. N. R. N. 37.

40.44 Set the temporary post at the corner with the true line for the cor. of 74 sec. from which is

Beck 8 in diam. bears N 47 E. 6 links north; or,
Hickory 7 " " " S 58 W. 30 " "

80.88 To the first cor. of sec. 1, 2, 11, & 12.

North Between Sec. 1 & 2. I. N. 14. N. R. N. 37.

17.50 To a Beck 12 in diam. stands in the line

18.50 " on Ash 22 in diam. stands in the line

40.00 Set a post for the cor. of 74 sec. from which is
Beck 12 in diam. bears South 3 links north; or,
Hickory 15 " " " N 50 E. 20 " "

66.86 To a Beck 15 in diam. stands in the line.

77.85 Intersected the N. Boundary 160 links West of the
2nd cor. of sec. 35 & 36. I. N. 15. N. R. N. 37. and
set a post for the cor. of sec. 1 & 2. from which is

Beck 15 in diam. bears S 27 W. 13 links north; or,
Poplar 10 " " " N 57 W. 28 " "

Lumbered under 2nd rate; Linden Tree,
Sycamore, Hickory, W. Oak, Poplar, & N. Oak, W 8 Spruce

North Between Sec. 34 & 35. I. N. 14. N. R. N. 37.

22.00 To a Beck 30 in diam. stands in the line

40.00 Set a post for the cor. of 71 sec. from which is

Beck 4 in diam. bears S 2 E. 18 links north; or,
do 4 " " " N 20 1/2 W. 2 " "

63.57 To a N. Oak 24 in diam. stands in the line

80.00 Set a post for the cor. of sec. 24, 27, 34 & 35. from which is

I N^o 14 NRR N^o 3 N. 2nd Mer. Sur.

Beck. 18 in dia: beam. N 42 E. 16 links dist; 1 a.

Do. 12 " " " S 84 W. 13 " "

Same grade 2nd rate; rollg. Lumber Buck, Sugar, Ash, Hickory &c.

East On a Random line between Sur. 26 & 35 I N^o 14. NRR N^o 3 N.

40.00 Set a temp^t post for the cor. of 1/4 sec.

80.00 Set out the N & S line 5 links N. of the post cor. of Sur. 25, 26, 35 & 36.

Same grade 2nd rate; rollg. Lumber Buck, Ash, Sugar, &c. W. Spruce, & Sawwood

West On the true line between Sur. 26 & 35 I N^o 14. NRR N^o 3 N.

40.00 Set the temp^t post at the av. dist. on the true line for the cor. of 1/4 sec. from which a

Buck. 10 in dia: beam. N 77 W. 10 links dist; 1 a,

W. Ash. 13 " " " S 45 W. 14 " "

80.00 To the post cor. of Sur. 26, 27, 34 & 35.

West Between Sur. 26 & 27. I N^o 14. NRR N^o 3 N.

19.70 To a Buck. 30 in dia: stands in the line.

40.00 Set a post for the cor. of 1/4 sec. from which a

Buck. 10 in dia: beam. N 41 W. 18 links dist; 1 a,

W. Ash. 10 " " " S 50 E. 31 " "

56.75 To a Buck. 10 in dia: stands in the line.

80.00 Set a post for the cor. of Sur. 22, 23, 26 & 27 from which a Hick. 12 in dia: beam. N 77 W. 28 links dist; 1 a,

Poplar. 20 " " " S 72 W. 25 " "

Lumber Buck, Poplar, Sugar, Ash, &c. 2nd rate; rollg. Lumber.

East On a Random line between Sur. 23 & 26. I N^o 14. NRR N^o 3 N.

40.00 Set a temp^t post for the cor. of 1/4 sec.

T. N. 14. N. R. N. 3 W. 2nd Mer. Sec. 1;

80.00 Enter cut the N. 89 line 5 miles N. of the post cor. of
Sec. 23, 24, 25 & 26.

Land sold & under good 2nd rate; Timber Beech,
Sugar, Ash, Poplar, Hickory and Maple.

West On the true line between Sec. 23 & 26 T. N. 14. N. R. 3 W.

40.00 Set the temporary post at the av. dist. in the true line
for the cor. of 1/4 Sec. from which

Beech 10 in dia. bears S 36 N. 23 miles dist; or,
Co. 12 " " S 26 E. 19 " "

80.00 To the post cor. of Sec. 22, 23, 26 & 27.

North Between Sec. 22 & 23 T. N. 14. N. R. N. 3 W.

14.08 To a Beech 24 in dia. stands in the line.

40.00 Set a post for the cor. of 1/4 Sec. from which a

Poplar 2 in dia. bears S 56 E. 4 miles dist; or,
Oak 15 " " N 81 W 50 " "

70.06 To a Poplar 60 in dia. stands in the line.

80.00 Set a post for the cor. of Sec. 14, 15, 22, & 23. From which
a Beech 16 in dia. bears N 87 W. 27 miles dist; or,

Co. 17 " " S 3 E. 24 " "

Good land under 2nd rate; Timber Beech, Sugar,
Ash, Hickory, etc. Poplar, etc. N 8 Spin.

East On a Random line between Sec. 14 & 23 T. N. 14. N. R. 3 W.

20.00 Set the temporary post for the cor. of 1/4 Sec.

80.00 Enter cut the N. 89 line 8 miles N. of the post cor. of
Sec. 13, 14, 23, & 24

Land sold & under good 2nd rate; Timber Beech,
Sugar, Ash, B. Maple & Hickory

West On the true line between Sec. 14 & 23 T. N. 14. N. R. 3 W.

40.00 Set the temporary post at the av. dist. in the true line

I. N. 14. N. R. N. 3 N. 2nd & N. S. S. S.

For the cor. of $\frac{1}{4}$ sec. from which a
 Buck 30 in dist. bears. S 3 E 10 links dist; 7 a,
 Ho. 12 " " " N 83 E 29 " "
 80.00 To the post cor. of sec. 14, 15, 22 & 23.

North Bottom Sec. 14 & 15. I. N. 14. N. R. N. 3 N.
 22.25 To Sugar. 12 in dist. stands in the line.
 32.50 " y Spring branch 6 links wide —
 40.00 Set apart for the cor. of $\frac{1}{4}$ sec. from which a
 Buck 4 in dist. bears. N. 25 $\frac{1}{2}$ W. 15 links dist; 1 a.
 Ironwood 3 " " " S 28 E 6 " "
 80.00 Set apart for the cor. of sec. 10, 11, 14 & 15 from which
 Buck 12 in dist. bears. North 3 links dist; 1 a,
 Ho. 10 " " " S 10 E 20 " "
 Land sold S. 2nd rate; Timber Buck. Ash,
 Sugar. Hick. N. Oak, &c. W. Spruce.

East On a Random line between Sec. 11 & 14 I. N. 14. N. R. 3 N.
 15.15 To a Brook 25 links wide, corner N. W.
 30.50 " " Ho. 25 " " " S. N.
 40.00 Set a true $\frac{1}{4}$ post for the cor. of $\frac{1}{4}$ sec.
 80.00 Into cut the N & S line 25 links N. of the post cor. of
 sec. 11, 12, 13 & 14
 Woods 2nd rate; cold W. lands; Timber Buck. Ash,
 Sugar. N. Oak, Hick. &c. W. Spruce.

West On the true line between Sec. 11 & 14 I. N. 14. N. R. N. 3 N.
 40.00 Set the true $\frac{1}{4}$ post at the corner dist. in the true line
 from which a. (For $\frac{1}{4}$ sec. cor.)
 Sugar. 20 in dist. bears. N 58 E. 20 links dist; 1 a,
 Buck 6 " " " N 56 W. 11 " "
 80.00 To the post cor. of sec. 10, 11, 14 & 15.

T. N. 14. N. R. N. 37. 2nd Mer. Ind. a.

North T. Petron Sep 10-11. T. N. 14. N. R. N. 37.
 10.00 To a Brook. 25 links thick. Course S. E.
 20.75 " " Brook. 30 in dia. Stands in the line.
 40.00 Set apart for the cor. of $\frac{1}{4}$ sec. from which
 Brook. 10 in dia. bears. N 70 W. 14 links thick; 1 a
 L. 14 " " " S 47 E. 10 " "
 50.08 To a Spring branch. Course S. W.
 58.50 " " Brook. 12 links thick. Course S. E.
 71.12 " " Brook. 10 in dia. Stands in the line.
 80.00 Set apart for the cor. of sec. 2, 3, 10 & 11 from which
 Brook. 9 in dia. bears. N 23 W. 37 links thick; 1 a
 L. 5 " " " S 75 W. 36 " "
 Snyder roll 8 & goes to 2nd rate; Timber Brook
 Sugar. W. Oak. Hickory on W. Spruce

East On a random line between Sep 20-11 T. N. 14. N. R. 37.
 40.00 Set a temp. post for the cor. of $\frac{1}{4}$ sec.
 51.00 To a Brook 20 links thick. Course S. W.
 80.00 Intersect the N & S line at the post cor. of sec. 1, 2, 11.
 Snyder roll 8 & goes to 2nd rate;
 Timber Brook. Oak, Sugar, Hickory Elm & W. Spruce

West On the true line between Sep 20-11 T. N. 14. N. R. N. 37.
 40.00 Set the temp. post at the av. end on the true line
 for the cor. of $\frac{1}{4}$ sec. from which
 Brook. 14 in dia. bears. N 73 E. 22 links thick; 1 a
 L. 10 " " " S 36 W. 23 " "
 80.00 To the post cor. of sec. 2, 3, 10 & 11.

North T. Petron Sep 20-11 T. N. 14. N. R. N. 37.
 24.77 To a Spring. 20 in dia. Stands in the line
 40.00 Set apart for the cor. of $\frac{1}{4}$ sec. from which
 Brook. 10 in dia. bears. S 87 E. 10 links thick; 1 a

I. N^o 14 N.R. N^o 37. 2nd Mer. Ind.

10.15
58.75
78.00
A Bush 15 in dia. bears S85W. 30 links dist;
To a Spruce 30 in dia. stands in the line
Intersect the N. Boundary 50 links east of the
first cor. of sec. 34 & 35 I. N^o 15 N.R. N^o 37. 1st cor.
a post for the cor. of sec. 21.3 from which a
W Oak 15 in dia. bears N85W. — the dist. is
120 24 " " " S86E. 17 " "
Cuts level and 2nd rate; Timber Hard Oak,
Bush, Spruce & W. Spruce.

North
17.90
31.75
40.00
57.00
58.54
80.00
Between Sec. 33 & 34 I. N^o 14 N.R. N^o 37.
To a W Oak 18 in dia. stands in the line.
" " Brook 12 links wide. Co. N.W.
Set a post for the cor. of 1/4 sec. from which an
Oak 13 in dia. bears South ~~12~~ 12 links dist
To a Brook 25 links wide, Course S.W.
To a W Oak 24 in dia. stands in the line.
Set a post for the cor. of sec. 27, 28, 33 & 34 from which
a Bush 6 in dia. stands N18W. 26 links dist; &
W Oak 13 " " " S45E. 34 " "
Cuts roll. & 2nd rate; Timber Bush, Sugar
Oak, Hickory; W Oak, & Poplar. W. Spruce.

East.
28.25
30.00
40.00
49.97
On a Random line between Sec. 27 & 34 I. N^o 14 N.R. N^o 37.
To a Brook 25 links wide, Course S.E.
" " the mouth of Spring branch.
Set a temp. post for the cor. of 1/4 sec.
Intersect the N83 line 17 links N. of the first cor. of
Sec. 26, 27, 34 & 35.
Cuts roll. & 2nd rate; Timber Bush, Spruce, Hickory
W Oak, &c. W Spruce.

West
On the line between Sec. 27 & 34 I. N^o 14 N.R. N^o 37.

S. N. 14 N. R. N. 3 W. 2nd Mer. Sud^o

39.98¹/₂ Set the temporary post at the cor. dist. on the true line
for the cor. of 1/4 sec. from which
N. Oak. 10 in dist. bears S 30 W. 16 turns due; 1st a
Beck. 8 " " N 47 E. 22 " "
19.97¹/₂ To the post cor. of sec. 27, 28, 33 & 34.

North Return Sud. 27, 28 S. N. 14 N. R. N. 3 W.
22.70 To an N. Oak. 14 in dist. stands in the line
40.00 Set a post for the cor. of 1/4 sec. from which
Beck. 36 in dist. bears S 62¹/₂ E. 22 turns due; 1st a
Lo. 14 " " N 45 W. 10 " "
61.11 To a Beck. 22 in dist. stands in the line
80.00 Set a post for the cor. of sec. 21, 22, 27, 28 from which
a N. Oak. 12 in dist. bears S 71 E. 38 turns due; 1st a
a N. Oak. 18 " " N 89 W. 47¹/₂ "
Sundercoll. under 2nd rate; Linden Beck. Sugar.
Hickory N. Oak. Poplar, &c. W & Spruce.

East On a Random line between Sud. 22 & 27 S. N. 14 N. R. N. 3 W.
40.00 Set a temporary post for the cor. of 1/4 sec.
43.00 To a Beck. 20 turns due, comes S. W.
46.00 " said Lo. 20 " " W. stream 2 ch.
19.97¹/₂ Enter out the N. S. line 20 turns N. of the post cor. of
sec. 22, 23, 26, 27
Sundercoll. under 2nd rate; Linden Beck. Sugar.
N. Oak. Hickory under &c. W & Spruce.

West On the true line between Sud. 22, 27 S. N. 14 N. R. N. 3 W.
39.98¹/₂ Set the temporary post at the cor. dist. on the true line
for the cor. of 1/4 sec. from which
Sugar. 16 in dist. bears N 66 E. 29 turns due; 1st a
Lo. 14 " " N 67 W. 36 " "
19.97¹/₂ To the post cor. of sec. 21, 22, 27, 28.

North Between Sec^s 21. & 22. T. N^o 14. N. R. N^o 3. W.
 19. 75 To a Hick^y 12. in^d diam. stands in the line
 40. 00 Get a post for the Cor. of $\frac{1}{4}$ Sec from which a
 Sugar 6. in^d diam. bears S. 15 $\frac{1}{2}$ E. 28. links dist. 86
 Buck 5. " " " N. 10. W. 21. " "
 43. 75 To a Spring Branch. Course W.
 64. 75 " " Brook 50 links wide; Course S. W.
 66. 28 To a Ironwood 5. in^d diam. stands in the line
 72. 00 " " Brook 50. links wide; Course S. E.
 79. 25 " " No. 16. " " " S. W.
 80. 00 Get a post for the Cor. of Sec^s 15. 16. 21. & 22. from which
 a Sugar 16. in^d diam. bears S. 48. E. 64. links dist. 116
 W. Walnut 14. " " " N. 45. W. 40. " "
 Land rolling & good 2nd rate Timber, Sugar. Buck
 W. Oak. Poplar. W. Ash &c. W. G. Spice &c.

East On a Random line between Sec^s 15. & 22. T. N^o 14. N. R. N^o 3. W.
 00. 25 To a Brook 40. links wide; Course S. W.
 40. 00 Get the temp^l post for the Cor. of $\frac{1}{4}$ Sec.
 80. 00 Intersected the N. & S. line at the post for the Cor. of Sec^s
 14. 15. 22. & 23. Land rolling & 2nd rate. Timber.
 Sugar. Hick^y. Poplar. W. Ash. W. And B. Walnut.
 Buck &c. Spice &c.

West On a true line Between Sec^s 15. & 22. T. N^o 14. N. R. N^o 3. W.
 40. 00 Get the temp^l post for the Cor. of $\frac{1}{4}$ Sec. at the aver. dist. on
 the true line from which a
 Hickory 14. in^d diam. bears S. 44. $\frac{1}{2}$ E. 16. links dist. 116
 No. 24. " " " N. 67. $\frac{1}{4}$ W. 33. " "
 80. 00 To the post for the Cor. of Sec^s 15. 16. 21. & 22.

North Between Sec^s 15. & 16. T. N^o 14. N. R. N^o 3. W.
 9. 83 To a Brook 30. links wide. Course S. E.

11. 70 To a Buck 30. links wide; Course S. W.
 25. 00 To an W. Elm 22. in? diam? stands in the line
 40. 00 Get a post for the Cor. of 1/4 Sec. from which a
 Hickory 10. in? diam? bears S. 85. E. 28. links dist. 80.
 Sugar 22. " " " N. 34. W. 31. " "
 57. 20 To an W. Oak 30. in? diam? stands in the line.
 80. 00 Get a post for the Cor. of Sec 9. 10. 15. & 16. from which a
 Buck 30. in? diam? bears S. 38. E. 17. links dist. 80
 So 5. " " " N. 25. W. 14. " "
 Land rolling & Grate. Timber. Buck Sugar. Elm
 Hick? Poplar &c. W. g. Spice.

- East On a Bandem line between Sec 10. & 15. T. N 14 R. 3 W.
 33. 50 To a Buck 30. links wide; Course S. W.
 40. 00 Get a temp.^o post for the Cor. of 1/4 Sec.
 80. 00 Intersected the N. & S. line 10. links S of the post Cor. of
 Sec 10. 11. 14. & 15. Land rolling & Grate. Timber,
 Sugar. Buck, Hick? Poplar. W. Ash &c. Spice W. g.

- West On the true line Between Sec 10. & 15. T. N 14 R. 3 W.
 40. 00 Get the temp.^o post at the aver. dist. on the true line
 for the Cor. of 1/4 Sec. from which a
 Sugar 16. in? diam? bears S. 38. 1/2. W. 16. links dist. 80
 So 8. " " " N. 53 E. 20. " "

- North Between Sec 9. & 10. T. N 14. R. 3 W.
 13. 00 To a Hick? 24. in? diam? stands in the line
 28. 72 " " Buck 8. " " " " " "
 40. 00 Get a post for the Cor. of 1/4 Sec. from which a
 W. Oak 36. in? diam? bears S. 42. E. 25. links dist. 80
 Ironwood 4. " " " N. 42. W. 19. " "
 46. 25 To a Buck 10. links wide; Course S. W.
 65. 15 " " Buck 10. in? diam? stands in the line,

T. N^o 14. N.R. N^o 3 W. 2nd Mer. Ind.

Poplar Hick^y W.B. Walnut, &c. W.B. Spruce.

North Between Sep. 32 & 33. T. N^o 14. N.R. N^o 3 W.
 9.00 To a Brook 12 lbs mid, Comes N.W.
 30.75 " " W Oak 14 in dia? Stands in the line
 38.75 To a Brook 14 lbs mid, Comes N.W.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
 Hick^y 10 in dia? bears N 23 W. 16 lbs dish; on
 Sugar. 10 " " S 26 E. 17 " "
 60.75 To a Brook 20 in dia? Stands in the line.
 73.42 " " Brook. 50 lbs mid, Comes S.W.
 80.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which
 Hick^y 18 in dia? bears N 75 E 16 lbs dish; on
 Sugar. 9 " " S 57 W 18 " "
 Sample much broken, good 3rd rate; Timber Brook
 Sugar. & Hick^y; W.B. Spruce & Ironwood.

East On a Random line Between Sep 28 & 33. T. N^o 14. N.R. N^o 3 W.
 9.68 To a Brook 15 lbs mid, Comes S.W.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which
 80.00 Intersect the N.W. line .5 miles North of the post
 cor. of cor. 27. 28. 33 & 34
 Sycamore & 2nd rate; Timber Brook, Ash,
 Sugar. & Hick^y &c. W.B. Spruce, W. Brook &c.

West On the true line between Sep 28. 33 T. N^o 14. N.R. N^o 3 W.
 40.00 Set the temp. post at the cor. dish on the true line.
 for the cor. of $\frac{1}{4}$ sec. from which a
 Ironwood 4 in dia? bears N 27 E 12 lbs dish; on
 Brook 18 " " S 47 W 12 " "
 80.00 To the post cor. of Sep 28. 29. 32 & 33.

North Between Sep. 28 & 29 T. N^o 14. N.R. N^o 3 W.

18.00 To an N. Oak. 30 in dia. stands in the line.
 40.00 Set apart for the cor. off $\frac{1}{4}$ sec. from which
 Sugar. 9 in dia. bears. N 73 E. 20 links each; 1 c
 L. 8 " " " S 38 7/8 N. 34 " "
 80.00 Set apart for the cor. off $\frac{1}{4}$ sec. 20. 21. 28 & 29 from which
 Sugar. 6 in dia. bears. N 89 7/8 E. 17 the each; 1 c
 L. 6 " " " S 74 7/8 N. 27 " "
 Lands sold. under 2nd. rate; Timber Beech, Sugar,
 Ash, Walnut. Which N. Oak. & W. Spruce.

East On a Random line between Sud. 21. & 28. T. N. 14. N. R. N. 3 N.
 40.00 Set apart (timber) for the cor. off $\frac{1}{4}$ sec.
 57.75 To a Spring branch S. N.
 80.00 Intersect the N 88 line at the post cor. off Sud. 21. 22,
 27. & 28 Lands sold. under grade 2nd. rate; Timber
 Beech, Sugar, Ash, N 74 1/2 N. Walnut Elm. & W.

West On the true line Between Sud. 21. & 28. T. N. 14. N. R. N. 3 N.
 40.00 Set the timber post at the av. dist. on the true line.
 for the cor. off $\frac{1}{4}$ sec. from which
 Sugar. 9 in dia. bears. N 54 7/8 W. 8 links each; 1 c
 L. 7 " " " N 62 7/8 E. 9 " "
 80.00 To the post cor. off Sud. 20. 21. 28 & 29.

North Between Sud. 20. & 21. T. N. 14. N. R. N. 3 N.
 26.50 To a N. Oak. 24 in dia. stands in the line.
 40.00 Set apart for the cor. off $\frac{1}{4}$ sec. from which
 Beech 18 in dia. bears. N 87 E. 2 the each; 1 c
 L. 20 " " " S 87 7/8 N. 33 " "
 63.75 To an Elm. 36 in dia. stands in the line
 80.00 Set apart for the cor. off Sud. 16 1/2. 20 & 21 from which
 Sugar. 4 in dia. bears. S 78 7/8 E. 7 the each; 1 c
 Beech. 20 " " " S 81 7/8 N. 24 " "

S. N. 14. N. R. No 3 W. 2nd Mer. Ind.

Sundogood 2nd rate; Timber Buck Ash,
Sugar Hick. &c. W. S. Pine.

East On a narrow line between Sec. 16 & 21. S. N. 14. N. R. No 3 W.
22.00 To a Brook. 50 yds wide, Comes N.
30.00 " " " 50 " " " S. W.
37.70 " " " 50 " " " N. W.
40.00 Set the temporary post for the cor. of 1/4 sec.
80.00 Enter cut the N. & S. line 5 yds South of the post
cor. of Sec. 15. 16. 21. & 22
Sundogood 2nd rate. Much broken. Timber
B. Walnut. Sugar Buck & N. Ash & Hick. & W. S. Pine

West On the same line between Sec. 16 & 21. S. N. 14. N. R. No 3 W.
40.00 Set the temporary post at the cor. dist. on the line for
the cor. of 1/4 sec. from which
Sugar 9 in dia. bears S 87° E. 11 links dist; or
L. O. 12 " " " S 87° W. 13 " "
80.00 To the post cor. of Sec. 16 17. 20 & 21.

North Between Sec. 16 & 17. S. N. 14. N. R. No 3 W.
15.60 To a Brook. 30 yds wide, Comes N. E.
23.25 " " Sugar. 12 in dia. stands in the line.
40.00 Sugar 20 in dia. stands for the cor. of 1/4 sec.
53.50 To a Brook. 12 yds wide, Comes S. E.
63.75 " " Buck. 20 in dia. stands in the line.
79.00 " " Brook. 12 yds wide, Comes S. E.
80.00 Set a post for the cor. of Sec. 8. 9. 16. 21 from which
W. Oak. 15 in dia. bears S 47° E. 14 links dist; or
L. O. 14 " " " S 47° W. 14 " "
Sundogood much broken Soil 2nd rate; Timber Buck,
Ash, Sugar, Hick. & B. Walnut &c. W. S. Pine & Iron-
wood &c.

143

I. N^o 14. N. R. N^o 37. 2nd Mer. (Ind.?)

East On a Random line between Sec. 9 & 16 I. N. 14. N. R. N^o 37.
 30.75 To a Spring branch corner —
 40.00 Set a temporary post for the cor. of $\frac{1}{4}$ sec.
 48.75 To a Brook. 50 $\frac{1}{2}$ miles, Corner S.E.
 54.50 " " do. 50 " " " N.E.
 55.50 " " do. 50 " " " S.W.
 80.00 Intersect the N. & S. lines 5 miles South of the post cor.
 of sec. 9. 10. 15 & 16.
 Lands much broken Soil 2nd rate; Timber Beech,
 Ash, Sugar, Hickory, &c. M^r Spivey.

West On the same line between Sec. 9 & 16 I. N. 14. N. R. N^o 37.
 40.00 Set the temporary post at the av. dist. on the line for the cor.
 of $\frac{1}{4}$ sec. from which
 Bush 24 in diam. trees. N 67 E. 29 links dist; or
 do. 16 " " " do. 77 N. 24 " "
 80.00 To the post cor. of sec. 8. 9. 16 & 17

North Return Sec. 8 & 9 I. N. 14. N. R. N^o 37.
 21.55 To a Sugar. 12 in diam. stands in the line.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
 Bush 10 in diam. trees. N 14 E. 27 links dist; or
 do. 16 " " " do. 44 E. 16 " "
 45.50 To a Brook. 15 ~~1/2~~ miles, Corner S.W.
 43.50 " " Bush. 10. in diam. stands in the line.
 80.00 Set a post for the cor. of sec. 4. 5. 8. & 9 from which a
 Bush. 6 in diam. trees. N 16 E. 13 links dist; or
 do. 6 " " " do. 66 N 23 " "
 Lands much broken Soil 2nd rate; Timber Beech,
 Sugar, Wash, Hickory. Iron woods &c. M^r Spivey.

East On a Random line between Sec. 4 & 9 I. N. 14. N. R. N^o 37.
 12.50 To a Brook. 12 links wide, Corner S.W.

T. N^o 14. N. R. N^o 3 W. 2nd Mer. Ind^a.

40 00 Set the temp^t post for the cor. of 14 Sec.
 59. 50 To a Buck 12. links wide. Course S. E.
 79. 92 Intersected the N. & S. line 5. links. S. of the post cor. of
 Sec. 3, 4, 9. & 10. Land rolling & 2nd rate.
 Timber, Buck Sugar. Ash. Hick^y. B. Walnut &c.

West On the true line between Sec. 4. & 9. T. N^o 14. N. R. N^o 3. W.
 39. 96 Set the temp^t post for the cor. of 14 Sec. at the true dist.
 on the true line from which a
 Buck 15. in. diam. bears N. 60 1/2. E. 12. links dist. &c.
 S^o 14. " " " N. 59. 1/2. W. 40. " "
 79. 92 To the post set for the cor. of Sec. 4. 5. 8. & 9

North Between Sec. 4. & 5. T. N^o 14. N. R. N^o 3. W. 2nd Mer.
 18. 10 To a Lym 18. in. diam. stands in the line
 40. 00 Set a post for the cor. of 14 Sec. from which a
 Sugar 26. in. diam. bears N. 58. W. 30. links dist. &c.
 S^o 24. " " " N. 14. E. 39. " "
 65. 25 To a Sugar 24. in. diam. stands in the line
 78. 10 Intersected the N. Bound^y 75. links W. of the post.
 cor. of Sec. 32. & 33. T. N^o 15. N. R. N^o 3. W. Set a post
 for the cor. of Sec. 4. & 5. from which a
 Sugar 9. in. diam. bears N. 87 1/2. W. 24. links dist. &c.
 Hick^y 9. " " " S. 64. E. 6. " "
 Land rolling & 2nd rate. Timber. Buck, Sugar,
 W. & B. Walnut, Hickory &c.

North Between Sec. 31. & 32. T. N^o 14. N. R. N^o 3. W.
 24. 50 To a Buck 8. links wide, course W.
 29. 90 " " Buck 30. in. diam. stands in the line.
 35. 50 To a Buck 50. links wide, course W.
 40. 00 Set a post for the cor. of 14 Sec. from which a
 Hick^y 12. in. diam. bears N. 18. E. 18. links dist. &c.

T. N^o 14. N. R. N^o 3. W. 2nd Mer. Sud. 1

Hickory 13. in. diam. bears S. 21. E. 15. links. dist.
 61. 58 To a Hickory 18. in. diam. stands in the line
 80. 00 Set the post for the Cor. of Sec. 29. 30. 31. & 32. from which
 a Sugar. — in diam. bears N. 15. W. 23. links. dist. & a
 Hick. 8. " " " S. 43. W. 15. " "
 Land hilly & prairie. Timber. W. Oak. Beech & Sugar.
 W. g. Dogwood. Ironwood. &c.

East On a Random line between Sec. 29. & 32. T. N^o 14. N. R. 3. W.
 40. 00 Set the temp^o post for the Cor. of 1/4 Sec.
 50. 75 To a Brook 12. links wide; bears S. E.
 68. 25. " " S. 20. " " " S. E.
 80. 00 Intersected the N. & E. line at the post set for the Cor.
 of Sec. 28. 29. 32. & 33 Land on the 1st 1/2 mile rolling
 & prairie. Grassy hilly. Timber Beech. Sugar. & W. Oak.
 W. g. Sapashus. & Spice.

West On the true line between Sec. 29. & 32. T. N^o 14. N. R. 3. W.
 40. 00 Set the temp^o post at the aver. dist. on the true line for
 the Cor. of 1/4 Sec. from which a
 Beech 10. in. diam. bears S. 63. E. 23. links. dist. & a
 S. 10. " " " N. 66. E. 28. " "

West Between Sec. 30. & 31. T. N^o 14. N. R. 3. W.
 24. 36 To a Sugar 15. in. diam. stands in the line
 40. 00 Set a post for the Cor. of 1/4 Sec. from which a
 Sugar 18. in. diam. bears N. 32. E. 20. links. dist. & a
 S. 16. " " " N. 63. W. 17. " "
 55. 54 Intersected the W. Boundary line at the post cor. of
 sec. 25. 136. T. N^o 14. N. R. N^o 4. W. Land rolling 2nd.
 rate; Timber Beech Sugar, White Walnut & Bucking.
 W. g. Spice & Ironwood.

* 80.00 To the post cor. of sec. 29. 30. 31. & 32.

T. N^o 14. N. R. N^o 3 W. 2nd Mer. Sud^e.

North	Between Sec. 29. & 30. T. N ^o 14. N. R. N ^o 3 W.
19. 75	To a Beech 3. in. diam. stands in the line
40. 00	Set a post for the cor. of 1/4 Sec. from which a W. Oak 30. in. diam. bears. S. 77. 3/4 E. 7. 1/2. dist. 1/4 a W. Walnut 4. in. " " S. 73. W. 23. " "
59. 18	To a B. Walnut. 22. in. diam. stands in the line
80. 00	Set the post for the cor. of Sec. 19. 20. 29. & 30. from which an Elm 11. in. diam. bears S. 29. W. 10. links dist. 1/4 a Sugar 9. " " " S. 87. E. 28. " " Sands much broken soil 2 nd rate; Timber Beech, Sugar, W. Oak, etc. W. Spruce Ironwood & B. Ham.
East	On a Random line between Sec. 20. & 29 T. N ^o 14. N. R. N ^o 3 W.
21. 40	To a Brook 8 links wide, Course N. W.
40. 00	Set a temp. post for the cor. of 1/4 sec.
79. 92	Intersect the N. S. line. 10 links South of the post cor. of sec. 20. 21. 28 & 29 Sands well, and 2 nd rate; Timber Beech, Sugar Ash, Hicory W. Spruce.
West	On the true line between Sec. 20. & 29 T. N ^o 14. N. R. N ^o 3 W.
39. 96	Set the temp. post at the cor. dist. on the true line for the cor. of 1/4 sec. from which an Ironwood 6 in. diam. bears. N 83 7/2 E. 4 links dist. 1/4 a Beech 10 " " " N 37 1/2 W. 27. " "
79. 92	To the post cor. of sec. 19. 20. 29. & 30.
West	Between Sec. 19 & 30 T. N ^o 14. N. R. N ^o 3 W.
4. 00	To a Oak. 65 links wide, Course S. W.
33. 00	To a Blue Ash 16 in. diam. stands in the line.
35. 28	" " Birch. 12. in. wide, Course S. E.
40. 00	Set a post for the cor. of 1/4 sec. from which a Beech 10 in. diam. bears. N 29 1/2 W. 16 links dist. 1/4 a

T. N^o 14 N.R. N^o 3 W. 2nd Mer. Ind.

147

55.54 Bush 12 in dia. hars. 560 ft. 17 miles west; on
Intersect the West Boundary at the first cor. of sec.
24 & 25 T. N^o 14 N.R. N^o 4 W.
Sands roll 8. and 2nd rate; Timber Birch, Sugar,
Oak, and W. Oak, W. Spruce.

North
250 Between Sec. 19 & 20 T. N^o 14 N.R. N^o 3 W.
To a Brook. 50 miles wide, Corner S.W.
2394 " " Bush. 6 in dia. Stands in the line.
31.00 " " Small brook. Corner S.E.
40.00 Set a post for the cor. of 1/4 sec. from which
W. Oak, 24 in dia. hars. 571 E. 30 the dist; 12,
Hack 16 " " " N 71 W. 18 " "
49.00 To a Brook 10 miles wide, Corner S.E.
54.86 " " Poplar. 48 in dia. Stands in the line.
73.50 " " Brook, 12 the wide, Corner E.
80.00 Set a post for the cor. of sec. 17, 18, 19 & 20 from which
W. Oak, 28 in dia. Stands 55 E. 20 miles dist; 12,
Sugar. 18 " " " N 77 W. 35 " "
Sands roll 8. and 2nd rate; Timber W. Oak, Birch,
Hack & Sugar, Poplar, W. Spruce & Amur & Dog wood

East
14.01 On a random line between Sec. 17 & 20 T. N^o 14 N.R. N^o 3 W.
To a Brook. 20 the wide, Corner S.
33.00 " " 10 50 " " " S.
37.00 To the bank of Creek. Up stream 350 the; on same side
40.00 Set a temporary post for the cor. of 1/4 sec.
80.00 Intersect the N.W. line 10 miles South of the first cor.
of sec. 16 17. 20 & 21. Sands roll 8 and 2nd rate.
Timber W. Oak, Birch, Sugar, Hack, 70 W. Alder
W. Spruce and Amur.

West On the true line between Sec. 17 & 20 T. N^o 14 N.R. N^o 3 W.

S. N. 14. N.R. N. 37. 2nd Mer. Sur.

40.00	Set the temporary post at the corner dish on the true line. For the cor. of 1/4 sec. from which a Willow 8 in dia. stands. N 15 E 34 links dish; or Do. 6 " " " N 51 W 47 " "
80.00	Set the post cor. of sec. 17, 18 & 19 & 20.
West	Return Sur. 18 & 19 S. N. 14. N.R. N. 37.
5.25	To a Brook 10 links wide. Corner S. E.
22.00	" " Beech 9 in dia. stands on the line.
40.00	Set a post for the cor. of 1/4 sec. from which a Sugar. 8 in dia. stands S 29 E. 4 links dish; or Beech 18 " " " West 12 " "
55.64	Enter at the West Boundary at the post cor. of sec. 13 & 24 S. N. 14. N.R. N. 47. Sunderbolls and 2nd rate, Sugar Beech Hickory ash Poplar, & Sugar. W. S. Spruce, & Maple.
North	Return Sur. 17 & 18. S. N. 14. N.R. N. 37.
18.80	To a Beech 16 in dia. stands on the line.
40.00	Set a post for the cor. of 1/4 sec. from which a Sugar. 24 in dia. stands. N 70 W 15 links dish; or Hickory 8 " " " S 44 E 15 " "
59.04	To a Sugar. 13 in dia. stands on the line.
80.00	Set a post for the cor. of sec. 7, 8, 17 & 18 from which a Sugar. 18 in dia. stands. S 82 W 19 links dish; or Do. 11 " " " N 43 E 6 " " Sunderbolls 2nd rate; Sugar Beech Sugar. W. A. R., & Hickory. W. S. Spruce and Ironwood.
East	On a Panam line between Sur. 8 & 17 S. N. 14. N.R. N. 47.
16.75	To a Brook 10 links wide. Corner S. E.
40.00	Set the temporary post for the cor. of 1/4 sec.
74.00	To a Brook 10 links wide. Corner S.

S. N^o 14 N.R. N^o 3 W. 2nd Mer. Ind^t.

80.00	Intersect the NRS line 10 miles North of the post cor. of sec. 8, 9, 16, & 17. Sands with 8 under 2 nd rate; Timber Beech, Sugar, Wash. & Hickory; W & Spice under Ironwood.
West	On the true line between Sec. 8 & 17 S. N ^o 14 N.R. 3 W.
40.00	Set the true post on the true line for the cor. of 1/4 sec. at the arm. creek; from which is Beech 6 in diam. trees. N 2 E. 20 miles dist; or, Sec 10 " " " S 55 W 25 " "
80.00	Set the post cor. of sec. 7, 8, 17, & 18
West	Between Sec. 7 & 18 S. N ^o 14 N.R. N ^o 3 W.
18.25	To a Sugar. 10 in diam. stands in the line.
40.00	Set a post for the cor. of 1/4 sec. from which is Hickory 18 in diam. trees. S 45 W 17 miles dist; or, Poplar. 30 " " " N 56 E 20 " "
53.00	Intersect the W. Bound. 12 miles South of the post cor. of sec. 12 & 13 S. N ^o 14. N.R. N ^o 4 W. and set a post for the cor. of sec. 7 & 18 from which is Sugar. 18 in diam. trees. N 19 E. 7 miles dist; or, Sec. 16 " " " S 8 E 6 " " Sands with 8 under good 2 nd rate; Timber Beech Hickory, W Walnut. Elm Sugar, W & Wash, W & Spice
North	Between Sec. 7 & 18 S. N ^o 14 N.R. N ^o 3 W.
23.15	To a Beech 13 in diam. stands in the line.
40.00	Set a post for the cor. of 1/4 sec. from which is W Walnut. 6 in diam. trees. S 2 W. 3 miles dist; or, Poplar. 40 " " " N 82 E. 20 " "
56.25	To a W Elm. 24 in diam. stands in the line.
80.00	Set a post for the cor. of sec. 5, 6, 7, & 8 from which is Sugar. 5 in diam. trees. S 65 W. 9 miles dist; or,

T. N^o 14 N.R. N^o 377. 2nd Mer. Sud²;

Elm. 9 in dir: trees N 65 E. 12 trees each; 1st &
 Timber, Sugar, Beech, W. Ash, & Poplar, &c. Sand.
 rolling and 2nd rate; W. S. Spr.

East On a Random line between Sec. 5 & 8 of T. N^o 14 N.R. N^o 377.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. (temp. 1)
 80.00 Enter subd. the N & S line at the post cor. of sec. 4, 5, 8 & 9
 Lands roll 8. & 2nd rate; gently roll 8. and good 2nd rate
 Timber Sugar, Beech, W. Ash, Poplar, & Hickory, W. S. Spr.

West On the true line between Sec. 5 & 8 T. N^o 14 N.R. N^o 377.
 40.00 Set the temp. 1 post at the adv. dish in the true line for
 the cor. of $\frac{1}{4}$ sec. from which a
 Sugar 14 in dir: trees N 67 $\frac{1}{2}$ W. 25 the dish; 1st &
 Beech 8 " " " East 35 " "
 80.00 Set the post cor. of sec. 5, 6, 7, & 8.

West Between Sec. 6 & 7 T. N^o 14 N.R. N^o 377.
 11.69 To a Beech 15 in dir: stands in the line
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
 Beech 20 in dir: stands S 40 $\frac{1}{2}$ W. 17 the dish; 1st &
 Ho. 10 " " " N 18 $\frac{1}{2}$ W. 39 " "
 54.75 Enter subd. the Range line or West Run N. 1/2 at the post cor.
 of sec. 1 & 12 T. N^o 14 N.R. N^o 477.
 Lands roll 8. and 2nd rate; Timber Beech Hickory
 W. Oak, W. Ash, &c. Sugar, W. S. Ironwood Maple.

North Between Sec. 5 & 6 of T. N^o 14 N.R. N^o 377.
 20.66 To a W. Ash 16 in dir: stands in the line.
 40.00 Set a post for the cor. of $\frac{1}{4}$ sec. from which a
 Beech 18 in dir: trees N 26 $\frac{1}{2}$ E. 24 the dish; 1st &
 Ho. 20 " " " S 19 $\frac{1}{2}$ W. 26 " "
 53.75 To a Brook 10 the river, corner N. W.

T. N^o 14. N. R. N^o 3. T. 2nd Mer. Ind.^a.

- 69.12 To a W. Oak 30 in dia. stands in the line.
 76.00 To a Spring branch. Corner N. T.
 78.12 Subcut the N. B. road 57th West of the first cor.
 of sec. 31 232 S. N^o 15 N. R. N^o 3 T. and set a post
 for the cor. of sec. 5 & 6. from which is
 1/2 Bech. 16 in dia. trees. N 36° W. 17 links each on,
 Lynn. 11 " " " S 17° E 20 " "
 Sands with 8. and 2nd rate, Timber Beech, Sugar,
 W. Oak, Wash, etc. W. 8. Spin & Ironwood.

Surveyed by
 Allen. Wright L.S.

I certify that the foregoing transcript of the field
 notes of Township N^o 14. North of Range N^o 3
 West of the 2nd Mer. Indiana, has been compared
 with the Original notes in this Office, and found to be
 correct.

Surveyor General's Office,
 Cincinnati, Dec. 24. 1840

E. S. Mearns
 Sur. Genl.